


3DS Tranzila API

Process schema



General

Step 1 create

The interaction with Tranzila starts with the following call:

https://api.tranzila.com/v1/transaction/credit_card/create

If the card is 3DS V2 supported the following scenarios are possible:

1. The transaction would be authorized automatically. The response would contain the transaction details including 3DS statuses and **the flow is finished**.
2. The card is not authorized. **The flow is finished** (in case the force_txn_on_3ds_fail = N. Otherwise a regular transaction will be issued and the result would be returned at this stage).
3. Initiate step 2 step 2 (issue a challenge).

Else fallback to V1

1. Initiate step 2 step 2 (issue a challenge).

Step 2 client browser

Open a browser. The URL would be 'challengeUrl' value from step1. The response from the client challenge page would be redirected to the address was sent in step 1 request, "auth_3ds_redirect" object, "url" attribute.

Step 3 complete

https://api.tranzila.com/v1/transaction/credit_card/3ds/complete

complete the transaction with parameter returned from step2.

Transaction request (step 1)

End point: https://api.tranzila.com/v1/transaction/credit_card/create

Method: POST

Header parameters:

X-tranzila-api-app-key

X-tranzila-api-request-time

X-tranzila-api-nonce

X-tranzila-api-access-token



authentication.docx

x

Detailed explanation regarding the authentication header parameters can be found in authentication.docx.

Request Body:

```
{
  "terminal_name": "yourTerminalName",
  "txn_currency_code": "ILS",
  "txn_type": "debit",
  "card_number": "4580*****7",
  "expire_month": 7,
  "expire_year": 2024,
  "cvv": "123",
  "card_holder_id": "123456789",
  "payment_plan": 1,
  "client": {
    "email": "test@interspace.net",
    "address_line_1": "Hagalil 33",
    "address_line_2": "pob 2252"
  },
  "items": [
    {
      "code": "5555",
      "name": "חולצה",
      "unit_price": 10,
      "type": "I",
      "units_number": 1,
      "unit_type": 1,
      "price_type": "G",

```

```
"currency_code": "ILS",
"to_txn_currency_exchange_rate": 1,
"attributes": [
  {
    "language": "hebrew",
    "name": "attribute name",
    "value": "attribute value"
  }
]
},
"response_language": "english",
"user_defined_fields": [
  {
    "name": "company",
    "value": "test 222"
  }
],
"3ds_settings": {
  "browser": {
    "java_enabled": 0,
    "language": "en-gb",
    "color_depth": 24,
    "screen_height": 934,
    "screen_width": 1255,
    "time_zone": 5,
    "window_size": "04"
  }
},
"force_txn_on_3ds_fail": "N",
"auth_3ds_redirect": {
  "url": "https://test.com",
  "params": [{
    "key": "test",
```

```
    "value": "test"  
  },  
  {  
    "key": "ttr",  
    "value": "322"  
  }  
]  
}  
}
```

1. Request keys table

key	type	value	required*	remarks
terminal_name	string	yourTerminalName	R	
txn_currency_code	string	ILS	R	ISO 4217 Currency Code
txn_type	string		R	Values: debit credit verify force cancel topup reversal cash rebate sto balance unload
verify_mode	integer	Integer or null	CR	Verify mode for txn_type “verify”
card_number	string	1234123412341234	R	
expire_month	integer	6	R	
expire_year	integer	2026	R	
cvv	string	035	0	Card Verification Value. Between 3 and 4 digits, can be null.
card_holder_id	string		0	
payment_plan	integer			1- regular, 6- credit, 8- instalments
installments_number	integer		CR	Installments number for payment plan - 6, 8
first_installment_amount	integer		CR	First installment amount for payment_plan - 8,6
other_installments_amount	integer		CR	Other installment amount for payment_plan - 8,6
reference_txn_id	integer		0	Source transaction ID. The source transaction ID that the new transaction would be based on. Relevant for force, cancel, sto and some credit transactions.
authorization_number	string		0	Authorization number from card issuer. Relevant for force transactions.
remarks	string		0	Transaction remarks
client				
*reference 1.1				

<i>Items</i> <i>*reference 1.2</i>	array		R	<i>The amount of the transaction is calculated from the items details. There must be at least one item.</i>
response_language	string	english	0	english, hebrew
force_txn_on_3ds_fail	string	Y	0	Y – if the credit card does not support 3ds, or the 3ds fails, continue with creating transaction. N – Do not perform transaction when a credit card versification fails or the credit card does not support 3ds.
auth_3ds_redirect				
url	Object		0	This is your endpoint url for card issuer response.
params	string		CR	The field is required if “auth_3ds_redirect” is defined.
3ds_setings <i>*reference 1.3</i>	Object		CR	Key, value parameters of transferred parameters in redirection query string.
	Object		0	

***required** R – required, O – optional, C – conditional, CR – conditionally required.

1.2 Client keys table

key	type	value	required*	remarks
email	string		0	Email address
address_line_1	string		0	Address line 1

address_line_2	string		0	Address line 2
----------------	--------	--	---	----------------

1.2 Item keys table

key	type	value	required*	remarks
code	string		0	
name	string		R	Item name

type	string	I	0	I - Item S- Shipping C - Coupon or discount
unit_price	number		R	
units_number	number		R	
unit_type	number	1	0	1 unit 2 gram 3 kilogram 4 ton 5 day 6 week 7 month 8 year 9 centimeter 10 meter 11 kilometer 12 MB 13 GB 14 TB 15 hour 16 litre
price_type	string	N	0	N - Net (Unit price includes does not include VAT tax) G - Gross (Unit price includes VAT tax)
currency_code	string	ILS	0	ISO 4217 Currency Code
to_txn_currency_exchange_rate	number	1	0	If the currency is different than transaction currency, please send exchange rate to the transaction currency.
discount_type	string	fixed	0	Values: fixed, percent
discount	number		C	Discount amount.
vat_percent	integer	17	0	Item vat percent.

***required** R – required, O – optional, C – conditional, CR – conditionally required.

1.3 3D secure settings keys table

key	type	value	required*	remarks
Browser reference 1.3.1	Object		0	

***required** R – required, O – optional, C – conditional, CR – conditionally required.

1.3.1 Browser settings keys table

key	type	value	required*	remarks
java_enabled	integer		0	Boolean that represents the ability of the cardholder browser to execute Java. 0 - false, 1- true
language	string	en-gb		Iso 639-1 language codes
color_depth	integer	24		Value representing the bit depth of the color palette for displaying images, in bits per pixel. Color depth values: 1,4,8,15,16,24,32,48
screen_height	integer		0	Browser screen height.
screen_width	integer		0	Browser screen width.
time_zone	integer	5	0	Time difference between UTC time and the Cardholder browser local time, in minutes
ip	string		0	IP address of the browser as returned by the HTTP headers to the 3DS Requestor.
user_agent	string		0	Exact content of the HTTP user-agent header.
accept_header	string		0	Exact content of the HTTP accept headers as sent to the 3DS Requestor from the Cardholder's browser.
window_size	string	04	0	Version 2.1.0 challenge window size. 250x400 == "01" 390x400 == "02" 500x600 == "03" 600x400 == "04"

***required** R – required, O – optional, C – conditional, CR – conditionally required.

Response example for version 1.0 supported card:

```
{  
  "error_code": 0,  
  "message": "Success",  
  "3ds_data": {  
    "version": "1.0",
```

```

    "statusCode": "YE",
    "message": "Enrolled.",
    "challengeUrl": "https://api.tranzila.com/v1/3ds/challenge?d=eyJwcm9jZXNzVXJsIjoiaHR0cHM6XC9cL3N1Y3VyZTcuYXJjb3QuY29t...",
    "processUrl": "https://secure7.arcot.com/acspage/cap?RID=34468&VAA=B",
    "PaReq": "eJxdUsFymzAQvXsm/8Bwx5IAA/YIZdzQTtMOJKRJ0s1NF1tbbQBHQOvk6ythY+Oc2Pd2V/vYt/RyV75Yf0E1sq5im0yxbUEl6kJW69h+uP/iRPYl
u5jQ+40CSH6A6BSwiWXRfJqGr8GSRWzDdh1yN1i5q8iZFQE4fvTLcyISrhwbGhOMfSKCmW0adevt8g5e97FGH+FMz566FA1wSKegxIZX7UBoiovXT9cZ833sYY+iAzz1S1
DXCcPzKHJDn6I9PKYtWvES2D9ZFRT14Sgl6q5q1RvzwoCiAYzynXphm7bdNguEzAtTUVNkyEEu+qiX3naGaM7G7GTB0vKBpOW3MnvPZ89JUWbJ8++bn5/f0iSPKTIVo4aC
t8Bc7BJMyNwis4U3X2BMUc+P6nhpNDOL4K1JH+CoYGvULPe09kXXjJnxJjq19CUMqxjQqAJ227oC3aVd08ZjzdAipiWaz4k+LurjXujV17M/EaLVtt1s7t4fH7Pv+ZP888
RRcAVZJnORLHMRG+v7onNRULvm+jjsVcmTfxQNE/Tw4QSNYf0hswlFZ0d+MfkPHYfVpg==",
    "xid": "MmU1MmJmNzQ5ZDdmNDZjOWEyMDQ=",
    "TermUrl": "https://api.tranzila.com/v1/3ds/auth",
    "track_id": "aaa_1611070744_4442cW0mFa5n9af2584EefciaY0B131apa"
  }
}

```

Response example for a card without 3ds support, when sending `force_txn_on_3ds_fail` = N

```

{
  "error_code": 0,
  "message": "Success",
  "3ds_data": {
    "version": "1.0",

```

```
    "statusCode": "UE",  
    "message": "Unable to enroll",  
    "xid": "NzRlNmVjMTNlNTg1NDY4Yjk1YjE=",  
    "track_id": "aaa_1611070744_4442cW0mFa5n9af2584EefciaY0B131apa"  
}
```

Complete transaction:

After the user complete the challenge, the result would be redirected to the address was sent in step 1:

```
"url": "https://test.com",
```

Example:

https://www.test.com/?key%3Dtest%26value%3Dany+string%26status%3Dsuccess%26track_id%3Daaa_1604578001_80903va1p0f78w4cf09Pi3Fab4NX

End point: https://api.tranzila.com/v1/transaction/credit_card/3ds/complete

Header parameters:

X-tranzila-api-app-key

X-tranzila-api-request-time

X-tranzila-api-nonce

X-tranzila-api-access-token

Method: POST

Body:

```
{  
  "track_id": "aaa_1604578001_80903va1p0f78w4cf09Pi3Fab4NX",
```

```
    "terminal_name": "yourTerminalName"
}
```

Response:

```
{
  "error_code": 0,
  "message": "Success",
  "transaction_result": {
    "processor_response_code": "000",
    "transaction_id": "372803",
    "auth_number": "1",
    "card_type": "2",
    "card_type_name": "Visa",
    "amount": 10,
    "currency_code": "ILS",
    "expiry_month": "09",
    "expiry_year": "25",
    "payment_plan": "1",
    "token": "Q823424234234dfsgdf029",
    "last_4": "1029",
    "card_mask": "458097*****1029",
    "card_locality": "domestic"
  },
  "t3ds_data": {
    "version": "1.0",
    "statusCode": "YA",
    "statusMessage": "Authenticated successfully.",
    "xid": "ZjI3YTM0OTJlODBmNGQ3OTkyNjU=",
    "cavv": "AAABB5AHkVcWB4FkdAeREcBzVec=",
    "eci": "05"
  },
  "original_request": {
    "terminal_name": " yourTerminalName ",

```

```
"txn_currency_code": "ILS",
"txn_type": "debit",
"card_number": "458097*****1029",
"expire_month": 9,
"expire_year": 2025,
"cvv": "****",
"card_holder_id": "032242711",
"payment_plan": 1,
"client": {
  "email": "test@interspace.net",
  "address_line_1": "habrushim 33",
  "address_line_2": "pob 2252"
},
"items": [
  {
    "code": "5555",
    "name": "חולצה",
    "unit_price": 10,
    "type": "I",
    "units_number": 1,
    "unit_type": 1,
    "price_type": "G",
    "currency_code": "ILS",
    "to_txn_currency_exchange_rate": 1,
    "attributes": [
      {
        "language": "hebrew",
        "name": "attribute name",
        "value": "attribute value"
      }
    ]
  }
],
"response_language": "english",
```

```
"user_defined_fields": [
  {
    "name": "company",
    "value": "test 222"
  }
],
"3ds_settings": {
  "browser": {
    "java_enabled": 0,
    "language": "en-gb",
    "color_depth": 24,
    "screen_height": 934,
    "screen_width": 1255,
    "time_zone": 5,
    "window_size": "04"
  }
},
"force_txn_on_3ds_fail": "N",
"auth_3ds_redirect": {
  "url": "https://test.com",
  "params": [
    {
      "key": "test",
      "value": "test"
    },
    {
      "key": "ttr",
      "value": "322"
    }
  ]
},
"sto": "N",
"pan_entry_mode": "50"
}
```


}

Example for response in V2 with a challenge completion

```
{
  "error_code": 0,
  "message": "Success",
  "transaction_result": {
    "processor_response_code": "000",
    "transaction_id": "419",
    "auth_number": "0",
    "card_type": "2",
    "card_type_name": "Visa",
    "amount": 10,
    "currency_code": "ILS",
    "expiry_month": "09",
    "expiry_year": "25",
    "payment_plan": "1",
    "token": "Q81c234fdghdfg346029",
    "last_4": "1029",
    "card_mask": "458097*****1029",
    "card_locality": "domestic"
  },
  "t3ds_data": {
    "version": "2.1",
    "statusCode": "CY",
    "statusMessage": "Challenge accepted by card holder",
    "threeDSServerTransID": "00000000000000000000000000000000",
    "acsTransID": "2fa84a2e-6eb7-4ad3-bd89-e5d7cb6532d0",
    "authenticationMethod": "02",
    "authenticationType": "02",
    "authenticationValue": "ABABABABABABABABABABABABAB",
    "eci": "05"
  },
  "original_request": {
```

```
"terminal_name": "yourTerminalName",
"txn_currency_code": "ILS",
"txn_type": "debit",
"card_number": "458097*****1029",
"expire_month": 4,
"expire_year": 2024,
"cvv": "***",
"card_holder_id": "032242711",
"payment_plan": 1,
"client": {
  "email": "efratm@interspace.net",
  "address_line_1": "Dalit 17",
  "address_line_2": "Tel Aviv"
},
"items": [
  {
    "code": "5555",
    "name": "חולצה",
    "unit_price": 10,
    "type": "I",
    "units_number": 1,
    "unit_type": 1,
    "price_type": "G",
    "currency_code": "ILS",
    "to_txn_currency_exchange_rate": 1,
    "attributes": [
      {
        "language": "hebrew",
        "name": "attribute name",
        "value": "attribute value"
      }
    ]
  }
],
```

```
"response_language": "english",
"user_defined_fields": [
  {
    "name": "company",
    "value": "test 222"
  }
],
"3ds_settings": {
  "browser": {
    "java_enabled": 0,
    "language": "en-gb",
    "color_depth": 24,
    "screen_height": 934,
    "screen_width": 1255,
    "time_zone": 5,
    "window_size": "04"
  }
},
"force_txn_on_3ds_fail": "N",
"auth_3ds_redirect": {
  "url": "https://test.com",
  "params": [
    {
      "key": "test",
      "value": "test"
    },
    {
      "key": "ttr",
      "value": "322"
    }
  ]
},
"sto": "N",
"pan_entry_mode": "50"
```

} }

Integration guidelines

1.1 Browser integration

In order to enable full features and version 2.1.0 frictionless features of 3d secure, the following parameters should be defined:

Headers

User-Agent and Accept headers of client application.

Browser settings (*ref: 1.3.1 Browser settings keys table)

Browser settings should be transferred from client's application in to the API in order to increase frictionless features and responsivity of client's application. IP parameter is optional however if not passed, it will be set up as client's application IP address.

Client settings (*ref: 1.2 Client settings keys table)

Email address, Address line 1, Address line 2 should be set up to increase frictionless features of version 2.1.0

Response keys

1.1 General

Tranzila APIs has a new structure contains an error code and message to indicate the status of the service itself.

In this service, the request result status would be populated in 'statusCode' attribute.

key	Remarks
error_code	0 - success error code - failure
message	Status message

1.2 Transaction

key	remarks
processor_response_code	3 character code from credit card processing services (SHVA). "000" is success while any other code is error.
transaction_id	Tranzila transaction identifier.
auth_number	Acquirer authorization number.
card_type	Card brand id: 0 - Private 1 - MasterCard 2 - Visa 3 - Diners 4 - Amex 5 - Isracard Brand 6 - JCB 7 - Discover 8 - Maestro
card_type_name	Card Brand name based on card type.
amount	Transaction total amount value based on Items settings.
currency_code	ISO 4217 currency code.
expiry_month	Credit card expiration month (length = 2)
expiry_year	Credit card expiration year (length = 2)
payment_plan	Payment plan value: 1 - regular 6 - credit 8 - payments
Installments_number	Number of payments. Returns conditionally for payment plans 6 and 8
first_installment_amount	First payment amount Returns conditionally for payment plan 8

other_installments_amount	Other payments amount Returns conditionally for payment plan 8
token	Tranzila credit card token if Token module enabled.
last_4	Credit card last four numbers
card_mask	Credit card mask
card_locality	Card locality: foreign, domestic.

1.3 Version 1.0 environment 3D secure data

key	remarks
version	3d secure environment version (1.0, 2.1.0)
statusCode	3d secure status code: YE - Yes, Enrolled UET - Unable to proceed, Technical issue UE - Unable to Enroll NE - Not Enrolled YA - Yes, Authenticated UA - Unable to Authenticate UAT - Unable to Authenticate, Technical issue N4 - Not Authenticated AA - Attempted Authentication
message	Status message
challengeUrl	MPI challenge initialization URL.
processUrl	MPI process url
PaReq	MPI challenge data
xid	3D secure transaction specific
TermUrl	Callback url
track_id	3d secure transaction track id.

1.2 Version 2.1.0 environment 3D secure data

key	remarks
<i>version</i>	3d secure environment version (1.0, 2.1.0)
<i>statusCode</i>	3d secure status code: AY - Authenticated. AT - Not authenticated, technical issue AP - Authentication attempt AC - Authentication challenge AR - Authentication rejected Challenge: CY - Challenge approved by card holder. CU - Challenge cancelled by card holder. CT - Challenge failure, technical issue.
<i>statusMessage</i>	Status message
<i>challengeUrl</i>	Challenge URL.
<i>acsUrl</i>	MPI process url.
<i>creq</i>	MPI challenge data.
<i>track_id</i>	3d secure process identifier
Provider specific	
<i>acsTransID</i>	
<i>dsTransID</i>	
<i>dsReferenceNumber</i>	
<i>threeDSServerTransID</i>	
<i>threeDSSessionData</i>	

Use case 3ds Verify request (J5) and Completion transaction

Verify transaction will use the 3ds verification while the completion transaction will not.

For verification transaction please specify:

```
"txn_type": "verify",  
"verify_mode": 5,
```

If the transaction process was successful,

Example for verify request

```
{  
  "terminal_name": "yourterminalname",  
  "txn_currency_code": "ILS",  
  "txn_type": "verify",  
  "verify_mode": 5,  
  "card_number": "1234123412341234",  
  "expire_month": 2,  
  "expire_year": 2027,  
  "cvv": "111",  
  "card_holder_id": "1234567890",  
  "payment_plan": 1,  
  "client": {  
    "email": "customer@interspace.net",  
    "address_line_1": "habrushim 33",  
    "address_line_2": "pob 2252"  
  },  
  "items": [  
    {  
      "code": "5555",  
      "name": "toy",  
      "unit_price": 1.31,  
      "type": "I",  
      "units_number": 1,  
      "unit_type": 1,  
      "price_type": "G",  
      "currency_code": "ILS",  
      "to_txn_currency_exchange_rate": 1,  
      "attributes": [  
        {  
          "language": "hebrew",
```

```
        "name": "attribute name",
        "value": "attribute value"
    }
]
}
],
"response_language": "english",
"user_defined_fields": [
    {
        "name": "company",
        "value": "test 222"
    }
],
"3ds_settings":{
    "browser":{
        "java_enabled":0,
        "language":"en-gb",
        "color_depth":24,
        "screen_height":934,
        "screen_width":1255,
        "time_zone":5,
        "window_size":"04"
    }
},
"force_txn_on_3ds_fail":"N",
"auth_3ds_redirect":{
    "url":"https://test.com",
    "params":[{
        "key":"test",
        "value":"test"
    }
    ],
    {
        "key":"ttr",
        "value":"322"
    }
]
}
```

Example for verify response:

```
{
  "error_code": 0,
  "message": "Success",
  "transaction_result": {
    "processor_response_code": "000",
    "transaction_id": "647",
    "auth_number": "0047093",
    "card_type": "2",
    "card_type_name": "Visa",
    "amount": 1.31,
    "currency_code": "ILS",
    "expiry_month": "12",
    "expiry_year": "26",
    "payment_plan": "1",
    "token": "p277879f15393c17543",
    "last_4": "7543",
    "card_mask": "12312*****1234",
    "card_locality": "domestic"
  },
  "3ds_data": {
    "version": "2.1.0",
    "statusCode": "AY",
    "dsTransID": "6dd08d53-a7b0-4f3b-a711-4afab9fcad84",
    "dsReferenceNumber": "VISA.V 17 0003",
    "threeDSSTransID": "a651ea33-6d9a-4a76-bd9c-49303bdaa9a6",
    "acsTransID": "ec924352-ecf9-42c6-b3ad-adblac494100",
    "authenticationValue": "AJkBAWeBJHg1koQncoEkAAAAAAA=",
    "eci": "05",
    "threeDSSTransData": "dHJhbnppbGEzZHNfMTYxNTc4ODg1NV8zM3YzdzA1MzcxVTMz",
    "track_id": "tranzila3ds_1615788855_33v3w05371U33"
  },
  "original_request": {
    "terminal_name": "tranzila3ds",
    "txn_currency_code": "ILS",
    "txn_type": "verify",
    "verify_mode": 5,
    "card_number": "1234*****1234",
    "expire_month": 12,
    "expire_year": 2026,
    "cvv": "****",
  }
}
```

```
"card_holder_id": "123123123123",
"payment_plan": 1,
"client": {
  "email": "elenac@interspace.net",
  "address_line_1": "habrushim 33",
  "address_line_2": "pob 2252"
},
"items": [
  {
    "code": "5555",
    "name": "toy",
    "unit_price": 1.31,
    "type": "I",
    "units_number": 1,
    "unit_type": 1,
    "price_type": "G",
    "currency_code": "ILS",
    "to_txn_currency_exchange_rate": 1,
    "attributes": [
      {
        "language": "hebrew",
        "name": "attribute name",
        "value": "attribute value"
      }
    ]
  }
],
"response_language": "english",
"user_defined_fields": [
  {
    "name": "company",
    "value": "test 222"
  }
],
"3ds_settings": {
  "browser": {
    "java_enabled": 0,
    "language": "en-gb",
    "color_depth": 24,
    "screen_height": 934,
    "screen_width": 1255,
    "time_zone": 5,
    "window_size": "04"
  }
},
```

```
"force_txn_on_3ds_fail": "N",
"auth_3ds_redirect": {
  "url": "https://test.com",
  "params": [
    {
      "key": "test",
      "value": "test"
    },
    {
      "key": "ttr",
      "value": "322"
    }
  ]
}
}
```


Completion transaction (force transaction)

```
"terminal_name": "yourterminalname",
"txn_currency_code": "ILS",
"txn_type": "force",
"card_number": "123412341234",
"expire_month": 1,
"expire_year": 2027,
"reference_txn_id": 647,
"authorization_number": "0047093",
"cvv": "991",
"card_holder_id": "1234567890",
"payment_plan": 1,
"client": {
  "email": "test@interspace.net",
  "address_line_1": "habrushim 33",
  "address_line_2": "pob 2252"
},
"items": [
  {
    "code": "5555",
    "name": "",
    "unit_price": 1.15,
    "type": "I",
    "units_number": 1,
    "unit_type": 1,
    "price_type": "G",
    "currency_code": "ILS",
    "to_txn_currency_exchange_rate": 1,
    "attributes": [
      {
        "language": "hebrew",
        "name": "attribute name",
        "value": "attribute value"
      }
    ]
  }
],
"response_language": "english",
"user_defined_fields": [
  {
    "name": "company",
    "value": "test 222"
  }
]
```

```

    }
  ],
  "3ds_settings":{
    "browser":{
      "java_enabled":0,
      "language":"en-gb",
      "color_depth":24,
      "screen_height":934,
      "screen_width":1255,
      "time_zone":5,
      "window_size":"04",
      "ip":"201.220.235.181"
    }
  },
  "force_txn_on_3ds_fail":"N",
  "auth_3ds_redirect":{
    "url":"https://test.com",
    "params":[{
      "key":"test",
      "value":"test"
    },
    {
      "key":"ttr",
      "value":"322"
    }
  ]
}
}

```

Response example:

```

{
  "error_code": 0,
  "message": "Success",
  "transaction_result": {
    "processor_response_code": "000",
    "transaction_id": "648",
    "auth_number": "0047093",
    "card_type": "2",
    "card_type_name": "Visa",
    "amount": 1.31,
    "currency_code": "ILS",
    "expiry_month": "12",
    "expiry_year": "26",
  }
}

```

```
"payment_plan": "1",
"token": "p277879f15393c17543",
"last_4": "1234",
"card_mask": "1234*****1234",
"card_locality": "domestic"
},
"original_request": {
  "terminal_name": "tranzila3ds",
  "txn_currency_code": "ILS",
  "txn_type": "force",
  "card_number": "1234*****1234",
  "expire_month": 12,
  "expire_year": 2026,
  "reference_txn_id": 647,
  "authorization_number": "0047093",
  "cvv": "****",
  "card_holder_id": "312037849",
  "payment_plan": 1,
  "client": {
    "email": "test@interspace.net",
    "address_line_1": "habrushim 33",
    "address_line_2": "pob 2252"
  },
  "items": [
    {
      "code": "5555",
      "name": "",
      "unit_price": 1.31,
      "type": "I",
      "units_number": 1,
      "unit_type": 1,
      "price_type": "G",
      "currency_code": "ILS",
      "to_txn_currency_exchange_rate": 1,
      "attributes": [
        {
          "language": "hebrew",
          "name": "attribute name",
          "value": "attribute value"
        }
      ]
    }
  ]
},
"response_language": "english",
"user_defined_fields": [
```

```
{
  {
    "name": "company",
    "value": "test 222"
  }
},
"3ds_settings": {
  "browser": {
    "java_enabled": 0,
    "language": "en-gb",
    "color_depth": 24,
    "screen_height": 934,
    "screen_width": 1255,
    "time_zone": 5,
    "window_size": "04",
    "ip": "201.220.235.181"
  }
},
"force_txn_on_3ds_fail": "N",
"auth_3ds_redirect": {
  "url": "https://test.com",
  "params": [
    {
      "key": "test",
      "value": "test"
    },
    {
      "key": "ttr",
      "value": "322"
    }
  ]
}
}
```